



非织造改变世界
NONWOVEN CHANGES THE WORLD

GUANGDONG HUIMING
NONWOVEN TECHNOLOGY CO.,LTD

ABOUT HUIMING

As a high-tech enterprise integrating R&D, production, sales and service of non-woven materials, the company has been deeply engaged in fields such as beauty, medical, hygiene, filtration, antibacterial, construction and packaging materials. Equipped with multiple advanced production lines, first-class technical talents and a strict quality management system, it has won high recognition in the industry for its quality and service.

After years of focused R&D and production, our company has now stepped into the rank of leading enterprises in the application field of domestic non-woven materials, and has successively become a high - tech enterprise, the Vice President Unit of Guangdong Indoor Environmental Health Industry Association, and a Member Unit of Guangdong Medical Device Industry Association.

The company possesses numerous invention patents and utility model patents, and has achieved fruitful results in the fields of air filtration materials, liquid filtration materials, functional non-woven materials, medical consumables, beauty and daily chemical materials, construction geotechnical auxiliary materials, etc. Products are widely used in extensive fields such as automobiles, white goods, labor protection, industrial purification, medical auxiliary materials, beauty and daily chemicals, geotechnical building materials, etc., such as oil and fuel filters, air purifiers, vehicle purifiers, household humidifiers, fresh air system filters, civil masks, industrial masks, gas masks, ventilators, medical disposable protective covers, formwork fabrics and formwork fabric spray adhesives, makeup remover and nail polish remover cotton, and various other products.

The company upholds the mission of "Changing the World with Non-woven Materials", adheres to the corporate spirit of "Clear Goals, Unswerving Commitment, Hard Work Pays Off, and Sustainable Operation", and continuously creates value for various industries in society, enabling more people, families, and organizations to benefit from non-woven material services.

As a professional manufacturer of deep-processed non-woven material products, Huiming's vision is to become a leading enterprise in the application field of China's non-woven material industry, enabling every employee to live a dignified life, every customer to obtain high-quality products, and every product to realize its due value.

The company strictly adheres to the requirements of the ISO quality management system, always remembering that quality is the cornerstone of an enterprise's survival. It accurately transmits customers' requirements and expectations throughout the entire production process to jointly build quality. Upholding the business philosophy of "Integrity, Dedication, Innovation, Collaboration, Learning", the company balances opportunities and risks with employees and customers to strive for sustainable development.

Huiming promises to provide customers with high-quality products and services.

We thank new and old customers for their support and welcome you to walk alongside Huiming to share in growth.



PRODUCT CATEGORY

Gaseous Purification Series

—— Formaldehyde removal, ammonia removal, TVOC removal, dust removal, particulate matter removal, PM2.5 removal.

Mainly includes electrostatic electret melt-blown filter materials, high-efficiency low-resistance electrostatic filter cotton, composite skeleton non-woven fabrics, modified activated carbon interlayer fabrics, and other composite filter materials.

Liquid Purification Series

—— Residual chlorine removal, antibacterial, mildew removal, impurity removal, slag filtration, oil absorption, oil-gas filtration.

Mainly includes modified activated carbon filter cotton, antibacterial filter cotton, antiviral filter cotton, oil-gas separation filter cotton, food-grade filtration and special non-woven fabrics for packaging.

Functional Non-woven Series

—— Antibacterial, antiviral, formaldehyde removal, flame retardant, oil absorption, waterproof, high temperature resistance, UV resistance and anti-aging.

Mainly includes antibacterial and antiviral skeleton fabrics, formaldehyde-removing skeleton fabrics, flame-retardant oil-absorbing non-woven fabrics, modified activated carbon non-woven fabrics, high-temperature and aging-resistant non-woven fabrics, etc.

Medical and Hygiene Series

—— High elasticity, water repellency, hydrophilicity, light shielding, antibacterial, antiviral.

Mainly includes electrostatic electret melt-blown fabrics, horizontal elastic non-woven fabrics, vertical elastic non-woven fabrics, composite elastic non-woven fabrics, composite light-shielding materials, etc.

Beauty and Daily Chemical Series

—— High breathability, high water absorption, high tensile strength, with biocompatibility reports.

Mainly includes depilatory wax paper base fabrics, hand and foot mask base fabrics, facial mask base fabrics, cotton pad base fabrics, etc.

Geotechnical and Building Materials Series

—— Patented products, waterproof materials, high-breathability materials, high tensile strength.

Mainly includes special waterproof and breathable formwork fabrics for concrete formwork, special spray adhesives for formwork fabrics, geotextiles, seepage-proof membranes, waterproof coils, etc.



Guangdong Huiming Non-woven Technology Co., Ltd.

Special Spray Adhesive for CPFL

Product Ingredients: Synthetic resin, synthetic rubber, natural resin, synthetic solvent, butane, propane, dimethyl ether and other petroleum distillates;

Product Characteristics: Colorless and transparent, uniform and fine, dense fog-like;

Product Specifications: 900 milliliters, weight 730g, each can can be sprayed over an area of 4-5 square meters.

Product Advantages

1. Permanent adhesive, anti-aging;
2. 360-degree rotating spray nozzle with a mist-like design, easy to use, uniform spray, saves glue;
3. Fog-like glue application, fine and uniform particles, will not clog the breathable holes of the template fabric;
4. Strong adhesion, quick bonding, can meet the requirements of the spray and stick process;
5. Can withstand high temperatures of 80°C and low temperatures of -30°C;
6. Passed SGS quality inspection, free of harmful substances such as formaldehyde, Freon, and aromatic hydrocarbons.



Product Usage Instructions

1. Keep the sprayed surface clean and operate under the condition that it is dry and free of oil stains and water.
2. Shake well before use. Shake frequently during use. Operate at a temperature range of 15-40 degrees Celsius for the best results.
3. It is recommended to place the nozzle about 20-30 centimeters away from the surface to be sprayed. The specific distance can be determined according to the special requirements of spraying.
4. After pressing the nozzle, move it back and forth at a constant speed in a parallel manner several times. The glue should be evenly distributed and appropriate. The effect of repeated spraying will be better.
5. Let the sprayed surface stand for 1-5 minutes. When your finger can touch the semi-dry part with extremely strong stickiness, it is ready for bonding. Roll the side of the adhered object towards the other side, then use a glue stick or wooden stick to evenly compact it. It can be used after 30-60 minutes, and the best effect can be achieved after 6 hours.
6. After spraying, invert the container and press the nozzle to let a little glue come out. This is to prevent the glue from blocking the nozzle when using next time.



Product Application

1. Bridge engineering (pier, guardrail, beam, etc.);
2. Dam, gate, wharf projects;
3. High-speed rail, light rail, tunnel projects;
4. Airport, stadium projects;
5. Sewage treatment equipment;
6. Other high-quality concrete components.



Main Cooperating Units



Main Engineering Achievements

Serial Number	Project Name	Engineering site	Using the product	Quantity (m ²)
1	Xunliao Bay Fanhe Bridge - China Communications Second Navigation Bureau	Guangdong - Huizhou	CPFL 350G*1.5M*100M	52150
2	Hainan Puian Bridge - China Communications Second Navigation Bureau	Hainan - Haikou	CPFL 350G*1.5M*100M	48400
3	Hong Kong-Zhuhai-Macao Bridge - China Railway No.18 Bureau	Guangdong - Zhuhai	CPFL 350G*1.5M*100M	125600
4	Nansha Bridge - China Communications Second Highway Bureau	Guangdong - Guangzhou	CPFL 350G*1.5M*100M	98500
5	Hong Kong-Zhuhai-Macao Bridge - China Railway Construction Port and Waterway Bureau	Guangdong - Zhuhai	CPFL 350G*1.5M*100M	125600
6	Shenzhen Metro Line 11 - China Tunnel Group	Guangdong - Shenzhen	CPFL 350G*1.5M*100M	15600
7	Jiqing High-Speed Railway - China Railway No.10 Bureau	Shandong - Jinan	CPFL 350G*1.5M*100M	18500
8	Jiqing High-Speed Railway - China Railway No.12 Bureau	Shandong - Weifang	CPFL 350G*1.5M*100M	21600
9	Jing-Shen High-Speed Railway - China Railway No.10 Bureau	Hebei - Chengde	CPFL 350G*1.5M*100M	35800
10	Donglei Expressway - Guangdong Changda	Guangdong - Zhanjiang	CPFL 350G*1.5/2M*100M	48000

诚信 合作 敬业 学习 创新
INTEGRITY COOPERATION DEDICATION EDUCATION INNOVATION

广州慧名纤维制品有限公司

Guangzhou Huiming Fibre Products Co., Ltd.

广东慧名无纺科技有限公司

Guangdong Huiming Nonwoven Technology Co., Ltd.

☎ 13922136651 13924076182

☎ 02082252858 02082250789

📍 广东省广州市黄埔区联达路1号

No.1, Lianda Road, Huangpu District, Guangzhou, 510760 China.

📍 英德市英红广德园众创城K区18栋

Building 18, Zone K, Zhongchuang City, Guangde Garden, Yinghong, Yingde, 513042, Guangdong, China